

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	544039	(power or voltage).clm.	US-PGPUB; USPAT	ADJ	ON	2005/07/25 08:11
L2	6374	(delay (cell or line)).clm.	US-PGPUB; USPAT	ADJ	ON	2005/07/25 08:11
L4	1029647	(monitor\$ing or detect\$4 or determin\$5 or compar\$4).clm.	US-PGPUB; USPAT	ADJ	ON	2005/07/25 08:11
L5	96059	clock\$4.clm.	US-PGPUB; USPAT	ADJ	OFF	2005/07/25 08:12
L6	559	1 and 2 and 4 and 5	US-PGPUB; USPAT	ADJ	OFF	2005/07/25 08:20
L7	291	1 and 2 same 4 and 5	US-PGPUB; USPAT	ADJ	OFF	2005/07/25 08:21
L8	201	1 and 2 same 4 same 5	US-PGPUB; USPAT	ADJ	OFF	2005/07/25 08:21

Inter ference Search

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	27567	delay (cell or line)	US-PGPUB; USPAT	ADJ	ON	2005/07/25 08:03
L2	1444864	power	US-PGPUB; USPAT	ADJ	ON	2005/07/25 08:03
L3	829310	voltage	US-PGPUB; USPAT	ADJ	ON	2005/07/25 08:03
L4	2560557	monitor\$ing or detect\$4 or determin\$5	US-PGPUB; USPAT	ADJ	ON	2005/07/25 08:04
L5	539822	comparing or comparator	US-PGPUB; USPAT	ADJ	ON	2005/07/25 08:04
L8	3085	1 same (2 or 3) same (4 or 5)	US-PGPUB; USPAT	ADJ	ON	2005/07/25 08:05
L9	942	8 same clock\$4	US-PGPUB; USPAT	ADJ	OFF	2005/07/25 08:06

EAST text